

(An asterisk in the first column indicates a taxadjunct to the series. See text for a description of those characteristics that are outside the range of the series.)

Soil name	Family or higher taxonomic class
Brookston-----	Fine-loamy, mixed, mesic Typic Argiaquolls
Crosby-----	Fine, mixed, mesic Aeric Epiqualfs
Fox-----	Fine-loamy over sandy or sandy-skeletal, mixed, mesic Typic Hapludalfs
Genesee-----	Fine-loamy, mixed, nonacid, mesic Typic Udifluvents
Hennepin-----	Fine-loamy, mixed, mesic Typic Eurochrepts
Houghton-----	Euic, mesic Typic Medisaprists
Miami-----	Fine-loamy, mixed, mesic Oxyaeric Hapludalfs
Miami-----	Fine-loamy, mixed, mesic Typic Hapludalfs
Milton variant-----	Fine, mixed, mesic Typic Hapludalfs
Nineveh-----	Fine-loamy over sandy or sandy-skeletal, mixed, mesic Typic Argiudolls
Ockley-----	Fine-loamy, mixed, active, mesic Typic Hapludalfs
Ockley-----	Fine-loamy, mixed, mesic Typic Hapludalfs
Palms-----	Loamy, mixed, euic, mesic Terric Medisaprists
Patton-----	Fine-silty, mixed, mesic Typic Endoaquolls
Randolph variant-----	Fine, mixed, mesic Aeric Endoaquolls
Ross-----	Fine-loamy, mixed, mesic Cumulic Hapludolls
Shoals-----	Fine-loamy, mixed, nonacid, mesic Aeric Fluvaquents
Sleeth-----	Fine-loamy, mixed, mesic Aeric Endoaquolls
Sloan-----	Fine-loamy, mixed, mesic Fluvaquentic Endoaquolls
Westland-----	Fine-loamy, mixed, mesic Typic Argiaquolls
Whitaker-----	Fine-loamy, mixed, mesic Aeric Endoaquolls